

FIG. 1




FIG. 2A





FIG. 2B







**FIG. 3A****FIG. 3B****FIG. 3C****FIG. 3D**

FIG. 4A






FIG. 4B



**FIG. 5**

TILE INDEX	MINIMUM VALUE OF TILE PART INDEX TO BE ENCRYPTED
0	0
1	2
3	3
4	1
5	0
:	:
62	3
63	1

**FIG. 6**

**FIG. 7**


	0	1	2	3	4	5
0						
1						
3						
4						
5						
:						
62						
63						



**FIG. 8**


	0	1	2	3	4	5
0	1	1	1	1	1	1
1	0	1	1	1	2	2
3	0	0	0	1	1	2
4	0	1	1	1	1	2
5	1	1	1	1	2	2
:	:	:	:	:	:	:
62	0	0	0	1	1	2
63	0	1	1	1	2	2


**FIG. 9**



## FIG. 10


ACCESS KEY VALUE
INDEX CORRESPONDING TO ACCESS KEY VALUE
INFORMATION REPRESENTING TILE PART INDEX OR TILE GROUP INDEX


**FIG. 11**

**FIG. 12**

**FIG. 13**

	0	1	2	3	4	5
0	1	1	1	1	1	1
1	0	0	1	1	2	2
2	0	0	0	1	1	2
3	0	1	1	1	1	2
4	1	1	1	1	2	2
:	:	:	:	:	:	:
62	0	0	0	1	1	2
63	0	1	1	1	2	2

**FIG. 14**

**FIG. 15**




**FIG. 16**

FIG. 17

